

- ① Sequential datatype generate sequential numbers when ever record is added.
- ② OLE datatype is used to embed an object created in another application.
- ③ We can add images using attachment fields.
- ④ Calculated datatype is used when a user creates a table field that calculate values.
- ⑤ Access sets lookup fields to the Number datatype.
- ⑥ The mesh topology handles large no of traffic.
- ⑦ In ring topology, all the nodes in the network are connected in a circular manner.
- ⑧ In star topology, the central server act as a HUB.
- ⑨ In point to point topology, two nodes are directly connected.

- ⑩ Network architecture is divided into 2 types.
- ⑪ Wi-Fi use radio signals.
- ⑫ A network maintained without using wires is called wireless networking.
- ⑬ LAN and PAN are different types of networking.
- ⑭ Network topology refers to the layout in which various components of the network are connected and communicate with each other.
- ⑮ Network security means protecting data and resources from any unauthorized access.
- ⑯ WAP is a device that connects wireless communication devices to form a wireless network.
- ⑰ Criteria property contains the condition in the basis of which the records will be filtered in the query output.
- ⑱ A form is a piece of paper on which the user fills the required information in specific fields.

19) A query is a database object that helps you to retrieve and view information from one or more database tables.

20) In a query, the criteria property is used to set the condition on the basis of which the records are filtered.

21) You can set multiple criteria in a query using Or property.

22) Sort property is used to filter the data either in ascending or descending order.

23) Form allows you to add and update data in a table, one record at a time.

24) A report is an effective way to organise and summarise data in a printed form.

25) There are 5 types of operators in python.

26) The statements that governs the flow of a program are called control structure.

- (27) The datatype of a variable is an attribute that tells what kind of data a variable can have.
- (28) Concatenation is a string operator.
- (29) The sequential construct executes the statements in a sequential manner.
- (30) Interactive mode of python giving output instantly.