

~~Important~~

Magnetism And Matter

5.3) Magnetic field Strength, $B = 0.25 \text{ T}$

Torque on the bar magnet, $T = 4.5 \times 10^{-2} \text{ J}$

Angle b/w the bar magnet and the external magnetic field, $\theta = 30^\circ$

Torque is related to magnetic moment (M) as:

$$T = MB \sin \theta$$

$$\therefore M = \frac{T}{B \sin \theta}$$

$$= \frac{4.5 \times 10^{-2}}{0.25 \times \sin 30^\circ} = 0.36 \text{ JT}^{-1}$$

Hence, the magnetic moment of the magnet is 0.36 JT^{-1} .

5.4) Moment of the bar Magnet, $M = 0.32 \text{ JT}^{-1}$

External magnetic field, $B = 0.15 \text{ T}$

(a) The bar magnet is aligned along the magnetic field. This system is considered as being in stable equilibrium. Hence, the angle θ , b/w the bar magnet and the magnetic field is 0° .

Potential energy of the system = $-MB \cos \theta$

$$= -0.32 \times 0.15 \cos 0^\circ$$

$$= -4.8 \times 10^{-2} \text{ J}$$

(b) The bar magnet is oriented 180° to the magnetic field. Hence, it is in unstable equilibrium.

$$\theta = 180^\circ$$

$$\begin{aligned}\text{Potential energy} &= -MB \cos \theta \\ &= -0.32 \times 0.15 \cos 180^\circ \\ &= 4.8 \times 10^{-2} \text{ J}\end{aligned}$$

5.5) Number of turns in the Solenoid, $n = 800$

Area of Cross-Section, $A = 2.5 \times 10^{-4} \text{ m}^2$

Current in the Solenoid, $I = 3.0 \text{ A}$

A current-carrying Solenoid behaves as a bar magnet because a magnetic field develops along its axis, i.e., along its length.

The magnetic moment associated with the given current-carrying solenoid is calculated as:

$$M = nIA$$

$$= 800 \times 3 \times 2.5 \times 10^{-4}$$

$$= 0.6 \text{ JT}^{-1}$$

5.8) Number of turns on the Solenoid, $n = 2000$

Area of Cross-Section of the Solenoid, $A = 1.6 \times 10^{-4} \text{ m}^2$

Current in the Solenoid, $I = 4 \text{ A}$

a) The magnetic moment along the axis of the solenoid is calculated as:

$$M = nAI$$

$$= 2000 \times 1.6 \times 10^{-4} \times 4$$

$$= 1.28 \text{ Am}^2$$

b) Magnetic field, $B = 7.5 \times 10^{-2} T$

Angle b/w the magnetic field and the axis of the Solenoid, $\theta = 30^\circ$

$$\text{Torque, } T = NBS \sin \theta$$

$$= 1.28 \times 7.5 \times 10^{-2} \sin 30^\circ$$

$$= 4.8 \times 10^{-2} \text{ Nm}$$

Since the magnetic field is uniform, the force on the Solenoid is zero. The torque on the solenoid is $4.8 \times 10^{-2} \text{ Nm}$.

5.9) Number of turns in the circular coil, $N = 16$

$$\text{Radius of the coil, } r = 10 \text{ cm} = 0.1 \text{ m}$$

$$\text{Cross-section of the coil, } A = \pi r^2 = \pi \times (0.1)^2 \text{ m}^2$$

$$\text{Current in the coil, } I = 0.75 \text{ A}$$

$$\text{Magnetic field strength, } B = 5.0 \times 10^{-2} T$$

$$\text{Frequency of oscillations of the coil, } v = 2.05 \text{ s}^{-1}$$

$$\therefore \text{Magnetic moment, } M = NIA = NI\pi r^2$$

$$= 16 \times 0.75 \times \pi \times (0.1)^2$$

$$= 0.377 \text{ JT}^{-1}$$

Frequency is given by the relation:

$$v = \frac{1}{2\pi} \sqrt{\frac{MB}{I}}$$

Where,

I = Moment of inertia of the coil

$$\therefore I = \frac{MB}{4\pi^2 v^2}$$

$$= \frac{0.377 \times 5 \times 10^{-2}}{4\pi^2 \times (2)^2}$$

$$= 1.19 \times 10^{-4} \text{ Kg m}^2$$

Hence, the moment of inertia of the coil about its axis of rotation is $1.19 \times 10^{-4} \text{ Kg m}^2$.

5.11) Angle of declination, $\theta = 12^\circ$

Angle of dip, $\delta = 60^\circ$

Horizontal component of earth's magnetic field,

$$B_H = 0.16 \text{ G}$$

Earth's magnetic field at the given location = B
we can relate B and B_H as :

$$B_H = B \cos \delta$$

$$\therefore B = \frac{B_H}{\cos \delta}$$

$$= \frac{0.16}{\cos 60^\circ} = 0.32 \text{ G}$$

Earth's magnetic field lies in the vertical plane,
 12° West of the geographic meridian, making an angle of 60° (upward) with the horizontal direction.
Its magnitude is 0.32 G .

5.13) Earth's magnetic field at the given place, $H = 0.36 \text{ G}$
The magnetic field at a distance d , on the axis of the magnet is given as :

$$B_1 = \frac{\mu_0}{4\pi} \frac{2M}{q^3} = H \quad \text{--- --- --- (i)}$$

Whence,

μ_0 = permeability of free space

M = Magnetic moment

The magnetic field at the same distance d, on the equatorial line of the magnet is given as :

$$B_2 = \frac{\mu_0 M}{4\pi q^3} = \frac{H}{2} \quad [\text{Using eqn (i)}]$$

Total magnetic field, $B = B_1 + B_2$

$$= H + \frac{H}{2}$$

$$= 0.36 + 0.18 = 0.54 \text{ G}$$

Hence, the magnetic field is 0.54 G in the direction of ~~earth's~~ earth's magnetic field.

5.18) Current in the wire, I = 2.5 A

Angle of dip at the given location on earth, $\delta = 0^\circ$

Earth's magnetic field, $H = 0.33 \text{ G} = 0.33 \times 10^{-4} \text{ T}$

The horizontal component of earth's magnetic field is given as :

$$H_H = H \cos \delta$$

$$= 0.33 \times 10^{-4} \times \cos 0^\circ = 0.33 \times 10^{-4} \text{ T}$$

The magnetic field at the neutral point at a distance R from the cable is given by the $H_H = \frac{\mu_0 I}{2\pi R}$

Where,

$$\mu_0 = \text{permeability of free space} = 4\pi \times 10^{-7} \text{Tm A}^{-1}$$

$$\therefore R = \frac{\mu_0 I}{2\pi H_B}$$

$$= \frac{4\pi \times 10^{-7} \times 2.5}{2\pi \times 0.33 \times 10^4} = 15.15 \times 10^{-3} \text{ m} = 1.51 \text{ cm}$$

Hence, a set of neutral points parallel to and above the cable are located at a normal distance of 1.51 cm.

