

Exercise (7B)

Fill in the blanks;

a. $5120 \div 10$

$5120 \div 10 = 512 \rightarrow$ Quotient

$$\begin{array}{r} 5120 \\ - 5000 \\ \hline 120 \end{array}$$

$$\begin{array}{r} 100 \\ - 100 \\ \hline 200 \end{array}$$

$$\begin{array}{r} 200 \\ \hline \end{array}$$

0 \rightarrow Remainder

ths of rigorous practice
Initially, Douglas felt paralysed and
the instructor told him that his job
the confident

As a result,
This time also Doug
min. Now vari
he

01/07/22

Date 20/07/22
Page

$$6. 4650 \div 1000$$

$$\begin{array}{r} 1000 \overline{) 4650} \\ \underline{-4000} \\ 650 \end{array}$$

$$7. 9570 \div 100$$

$$100 \overline{) 9570} \rightarrow \text{Quotient}$$

$$\begin{array}{r} \underline{-900} \\ 570 \end{array}$$

$$\begin{array}{r} \underline{-500} \\ 70 \rightarrow \text{Remainder} \end{array}$$

d. $1400 \div 100$

⑩ $1400 \div 100 \rightarrow$ Quotient

$$\begin{array}{r} 1000 \\ - 1000 \\ \hline 400 \end{array}$$

$$\begin{array}{r} 1000 \\ - 9000 \\ \hline 0000 \end{array} \rightarrow \text{Remainder}$$

e. $5455 \div 10$

⑩ $5455 \div 10 \rightarrow$ Quotient

$$\begin{array}{r} 545 \\ - 500 \\ \hline 45 \end{array}$$

$$\begin{array}{r} 45 \\ - 40 \\ \hline 55 \end{array}$$

$$\begin{array}{r} 55 \\ - 50 \\ \hline 5 \end{array}$$

$5 \rightarrow$ Remainder

to wear a belt around
on an overhead cable. So it pulled
months of rigorous practice, he started to feel
Initially, Douglas felt paralysed and
instructor told him that his job
confident

As a result, he went
This time also Doug
Now name
he

20/07/21

Date: 20/07/21
Page

$$f. 5679921 \div 1000$$

$$\textcircled{100} 5679921 \begin{array}{l} \text{C} \\ \text{S} \\ \text{B} \\ \text{T} \\ \text{H} \\ \text{O} \\ \text{O} \\ \text{O} \end{array} \rightarrow \text{Q}$$

$$\begin{array}{r} 5000 \\ \hline 6799 \end{array}$$

$$\begin{array}{r} 6000 \\ \hline 7992 \end{array}$$

$$\begin{array}{r} 7000 \\ \hline 9921 \end{array}$$

$$\begin{array}{r} 9000 \\ \hline 921 \rightarrow R \end{array}$$

$$g. 6443 \div 100$$

Quotient

nder

100) 6443064 → Quotient

$$\begin{array}{r} - 600 \downarrow \\ \hline 443 \end{array}$$

$$\begin{array}{r} - 400 \\ \hline 43 \rightarrow \text{Remainder} \end{array}$$

h. 8470 ÷ 1000

1000) 847008 → Quotient

$$\begin{array}{r} - 8000 \\ \hline 470 \rightarrow \text{Remainder} \end{array}$$

i. 3300 ÷ 1000

$$\textcircled{1000} 3300 \text{ C } 3$$

$$\begin{array}{r} - 3000 \\ \hline 300 \rightarrow \text{Remainder} \end{array}$$

$$R. 56810 \div 1000$$

$$\textcircled{1000} 56810 \text{ C } 568$$

$$\begin{array}{r} - 5000 \\ \hline 681 \end{array}$$

$$\begin{array}{r} - 6000 \\ \hline 810 \end{array}$$

$$\begin{array}{r} - 800 \\ \hline 10 \rightarrow \end{array}$$

1. $323655 \div 100$

$\textcircled{100} 323655 \textcircled{0} 3236 \rightarrow \text{Quotient}$

$$\begin{array}{r} \text{---} 300 \downarrow \\ 236 \end{array}$$

$$\begin{array}{r} \text{---} 200 \downarrow \\ 365 \end{array}$$

$$\begin{array}{r} \text{---} 365 \downarrow \\ 655 \end{array}$$

$$\begin{array}{r} \text{---} 600 \\ 55 \end{array}$$

$\textcircled{55} \rightarrow \text{Remainder}$

m $76587 \div 100$

100 76587 / 765 → Quotient =

$$\begin{array}{r} 700 \downarrow \\ \hline 658 \end{array}$$

$$\begin{array}{r} -600 \downarrow \\ \hline 587 \end{array}$$

$$\begin{array}{r} -500 \\ \hline 87 \rightarrow \text{Remainder} \end{array}$$

n, 96660 ÷ 100

100 96660 / 96

$$\begin{array}{r} 900 \downarrow \\ \hline 666 \end{array}$$

$$\begin{array}{r} -600 \downarrow \\ \hline 66 \end{array}$$

$$96660 \div 60$$

$$10996600966 \rightarrow \text{Quotient}$$

$$\begin{array}{r} 9000 \\ 666 \end{array}$$

$$\begin{array}{r} 600 \\ 660 \end{array}$$

$$\begin{array}{r} 600 \\ 60 \end{array} \rightarrow \text{Remainder}$$

$$0.6536379 \div 1000$$

1000 6436 37966 36 → Quotient

$$\begin{array}{r} -6000 \downarrow \\ \hline 4363 \end{array}$$

$$\begin{array}{r} -5000 \downarrow \\ \hline 3637 \end{array}$$

$$\begin{array}{r} -3000 \downarrow \\ \hline 6379 \end{array}$$

$$\begin{array}{r} -6000 \\ \hline 379 \text{ -s Remainder} \end{array}$$

p. 4.87506 ÷ 100



100) 487506C 4875 - Quotient

$$\begin{array}{r} -400 \\ \hline 875 \end{array}$$

$$\begin{array}{r} -800 \\ \hline 750 \end{array}$$

$$\begin{array}{r} -700 \\ \hline 506 \end{array}$$

$$\begin{array}{r} -500 \\ \hline 06 \end{array} \rightarrow \text{Remainder}$$

Q. $\frac{40008493}{1000} = 4008.493 \div 1000$

rigorous practice, he
initially, Douglas felt paralysed and
structor told him that his job
onfide-

As a result, he went
This time also Douglas
New name
he

$1000 \overline{) 9008493} \rightarrow 4008 \rightarrow \text{Quotient}$

$$\begin{array}{r} 4000 \\ \underline{4000} \\ 00849 \end{array}$$

$$\begin{array}{r} 0000 \\ \underline{0000} \\ 8493 \end{array}$$

$$\begin{array}{r} 0000 \\ \underline{0000} \\ 8493 \end{array}$$

$$\begin{array}{r} 8000 \\ \underline{8000} \\ 493 \end{array} \rightarrow \text{Remainder}$$

Q. $65760.5 \div 10$

10) $657605065760 \rightarrow$ Quotients

$$\begin{array}{r} 60 \\ \underline{-60} \\ 57 \end{array}$$

$$\begin{array}{r} 50 \\ \underline{-50} \\ 76 \end{array}$$

$$\begin{array}{r} 70 \\ \underline{-70} \\ 60 \end{array}$$

$$\begin{array}{r} 60 \\ \underline{-60} \\ 05 \end{array}$$

$$\begin{array}{r} 0 \\ \underline{-0} \\ 05 \end{array} \rightarrow \text{Remainder}$$

$$5.469978 \div 100$$

able. So it p
practice, he started to
Douglas felt paralysed and
uctor told him that his job
onfident Douglas swam

As a result, he went
This time also Douglas
min. Now manic

Date _____
Page _____

100 56 9 4 7 8 0 9 6 4 4 - 3 Quotient

$$\begin{array}{r} -500 \\ \hline 644 \end{array}$$

$$\begin{array}{r} -600 \\ \hline 947 \end{array}$$

$$\begin{array}{r} -500 \\ \hline 978 \end{array}$$

$$\begin{array}{r} -500 \\ \hline 78 \end{array} \rightarrow \text{Remainder}$$

$$787878 \div 1000$$

1000 7, 87, 878, 788

$$\begin{array}{r} -7000 \\ \hline 8787 \end{array}$$

$$\begin{array}{r} -8000 \\ \hline 7878 \end{array}$$

$$-8$$

1000 7, 87, 878, 787 → Quotient

$$\begin{array}{r} -2000 \\ \hline 8787 \end{array}$$

$$\begin{array}{r} -8000 \\ \hline 7878 \end{array}$$

$$\begin{array}{r} -7000 \\ \hline 878 \end{array}$$

878 → Remainder

$$\textcircled{1} 187007 \div 100$$

$$\textcircled{2} 187007 \div 100 \rightarrow \text{Quotient}$$

$$\begin{array}{r} 100 \\ \hline 870 \end{array}$$

$$\begin{array}{r} 800 \\ \hline 700 \end{array}$$

$$\begin{array}{r} 700 \\ \hline 007 \end{array}$$

$$\begin{array}{r} 1007 \\ \hline 7 \end{array} \rightarrow \text{Remainder}$$

$$\textcircled{3} 89000 \div 100$$

the edge of the pool. But this plan didn't work for him. As a result, he went down again. This time Douglas tried, but in vain. Now panic seized him. He realised that he was going to drown. His limbs were paralysed, his lungs filled with water and ached. The mass of yellow water filled him with stark terror and he started fainting.

How did Douglas overcome his fear of water?

Douglas was haunted by the fear of water for many years. In order to overcome his fear, he decided to hire an instructor and started practising swimming regularly. The instructor very innovatively devised a method to teach him swimming. Douglas used to wear a belt around his waist and a rope was attached to it which went through a pulley that ran on an overhead cable. So it pulled him up whenever he felt panicky while swimming. After three months of rigorous practice, he started to swim. Finally, Douglas felt paralysed. He told him that he had overcome his fear of water.

Date _____
Page _____

$$\begin{array}{r} \text{\textcircled{100}} \text{\textcircled{89000}} \text{\textcircled{0}} \text{\textcircled{890}} \rightarrow \text{Quotient} \\ - \text{\textcircled{800}} \\ \hline \text{\textcircled{900}} \\ - \text{\textcircled{700}} \\ \hline \text{\textcircled{000}} \\ - \text{\textcircled{200}} \\ \hline \text{\textcircled{00}} \rightarrow \text{Remainder} \end{array}$$