

Hud
2/10/21

O.D.M Connect app
Rev - ch-1 and ch-2

- 1) Assembler converts assembly language to machine language.
- 2) ^{Low} ~~High~~ level languages are machine dependent language.
- 3) High level languages are machine independent language.
- 4) Java is the example of high level - language.
- 5) Interpreter and compiler are two translator program for high level language.
- 6) The term software was first used by John Tukey in 1957.

7) fourth generation languages are designed to reduce the level of programming efforts.

8) To create a blank desktop - press Alt + Ctrl + ~~Windows~~ D - shortcut key combination.

9) The name of searching tool in windows 10 is Cortana.

10) Microsoft edge is the name of windows 10 browser.

11) Action button helps to perform action such as adjusting screen brightness, turning bluetooth on/off, etc.

12) Windows Hello is the Microsoft's new built-in biometric security system for windows 10.

13) R2P means to copy data to a from a CD or DVD to computer.

- 14) You can copy songs from your favourite music CDs/DVDs on to your computer with Windows Media Player.
- 15) Burning a CD means copying data to a CD/DVD.
- 16) MPEG stands for Moving picture expert group.
- 17) Step recorder is the tool that helps in trouble shooting a problem occurring in windows.
- 18) Replacing double click with single click is available under File explorer option of control panel.
- 19) Utilities are the additional programs of windows.
- 20) Sound program converted into machine language by the translator.

21) A Program is a set of instructions which tells the computer what to do.

22) The development of computer language can be classified into 2 categories.

23) Machine language consists of binary numbers i.e. 0 and 1.

24) Compiler convert the High level language to machine language whole at a time.

25) High-level languages use simple English words and mathematics operations.

26) Assembly language use mnemonic codes or symbols.

27) Syntax are the rules governing the formation of statements in programming language.

28) In binary language, 0 means off and 1 means on state.

29) A program written in the assembly language is called assembler ~~source program~~.

30) Interpreter converts a high level language program into machine language, line by line.