

Competore

- 1) Autonumber datatype generate sequential number whenever record is added.
- 2) OLE Object datatype is used to embed an object created in another application.
- 3) We can add images by using formulae fields.
- 4) Calculated datatype is used when a user creates a table fields that calculate values.
- 5) Access sets look up fields to the number datatype.
- 6) The mesh topology handles large no of traffic.
- 7) In ring topology all the nodes in the network are connected in a circular manner.
- 8) In star topology the central server act as a hub.
- 9) In Point-to-point topology two nodes are directly connected.
- 10) Network architecture is divided into two types.
- 11) Wi-fi use radio signals.
- 12) A network maintained without using wires is called wireless networking.
- 13) ~~Two~~ LAN and MAN are the different types of networking.
- 14) Network topology refers to the layout in which various components of the network are connected and communicate with each other.

- 15) Network security means protecting data and resources from any unauthorized access.
- 16) WAP is a device that connects wireless communication devices to form a wireless network.
- 17) Whereas property contains the condition on the basis of which the records will be filtered in the query output.
- 18) A Form is a piece of paper on which a user feeds the required information in specific fields.
- 19) A query is a database object that helps you to retrieve and view information from one or more database tables.
- 20) In a query, the criteria property is used to set the condition on the basis of which the records are filtered.
- 21) You can set multiple criteria in a query using OR property.
- 22) Sort ~~prop~~ property is used to filter the data either in an ascending or descending order.
- 23) Form allows you to add and update data in a ~~data~~ table, one record at a time.
- 24) A Report is an effective way to organise and summarise data in a printed form.
- 25) There are 5 types of operators in python.
- 26) The statement that governs the flow of a prog-

statements are called control structure.

27. The Data type of a variable is an attribute that tells what kind of data can a variable have.

28. Concatenation is string operator.

29. The sequential construct executes the statements in a sequential manner.

30. Interactive mode of Python giving the output instantly.