

## EXERCISE

Q1) There are 6 major controls of the climate of any place. They are:-

- (1) Latitude
- (2) Altitude
- (3) Pressure and wind
- (4) Distance from the sea (Continentality)
- (5) Ocean currents
- (6) Relief features.

Q2) Why does India have monsoon type of climate?

Ans) The monsoon type of climate is characterized by a distinct seasonal pattern. The weather conditions greatly change from one season to the other. These changes are particularly noticeable in the interior parts of the country. The coastal areas do not experience such variation in temperature though there is variation in rainfall pattern. Four main seasons can be identified - the cold-weather, hot-weather, advancing monsoon & retreating monsoon.

Q3) Which winds account for rainfall along the Malabar coast?

Ans) Surface winds account for rainfall along the Malabar coast.

Q1) what are Jet streams and how do they affect the climate of India?

Ans) Jet streams are narrow belt of high altitude (above 12,000m) westerly winds in the troposphere. Their speed varies from about 110 km/h in summer to about 180 km/h in winter. A number of separate jet streams have been identified. The most constant is the mid latitude and the subtropical jet stream. Over India these jet streams blow south of the Himalayas all through the year except in summer. The western cyclonic disturbances experienced in the north and northwestern parts of the country are brought in by the westerly flow. In summer, the subtropical westerly jet stream moves north of the Himalayas with the apparent movement of the sun. An easterly jet stream called the tropical easterly jet stream blows over peninsular India, approximately over  $14^{\circ}\text{N}$  during the summer months.

Q1) Define monsoon. What do you understand by "breaks" in monsoon?

Ans) The seasonal reversal in wind direction during a year is called the monsoon. Monsoon tends to have "breaks" in rainfall, which mean that there are wet and dry spells between the monsoon rain take place only for a few days at a time and then come rainier intervals.

Q6) Why is the monsoon considered a unifying bond?

Ans) Despite great moderating influences on the climate of India there are great variations in the temperature conditions, nevertheless, the unifying influence of the monsoon on the Indian subcontinent is quite perceptible. The seasonal alteration of wind systems and the associated weather conditions provide rhythmic cycle of <sup>year</sup>

Q7) Why does the rainfall decreases from east to the west in Northern India?

Ans) The western coast and northern India receive more about 40cm of rainfall annually however, it is less than 60 cm in western Rajasthan and adjoining parts of Gujarat.

Maryana and Punjab, Rainfall is equally low in the interior of the Deccan plateau and east of the Sahyadris. The third area of low precipitation is around Leh in Jammu and Kashmir. The rest of the country receives moderate rainfall.

snow fall is restricted to the Himalayan region. Owing to the nature of monsoons the annual rainfall is highly variable from year to year. Variability is high in the regions of low rainfall such as parts of Rajasthan, Gujarat and the leeward side of the western ghats. As such, while areas of high rainfall are liable to be affected by floods areas of low rainfall are drought prone.

Q8) Give reasons as to why

(i) The bulk of rainfall in India is concentrated over a few months.

(ii) The bulk of rainfall in India is concentrated over a few months. The inflow of the south west monsoon in India brings about a total change in the weather. Early in the season

the windward side of the western ghats receives very heavy rainfall, more than 250 cm. The Deccan region, the windward side of the western ghats receives very heavy rainfall of more than 250 cm. The Deccan plateau and parts of madhya pradesh also receive some amount of rain in spite of lying in the rain shadow area. The maximum rainfall of this season is received in the north eastern part of the country. Mawsynram in the southern ranges of the shari hills receives the highest average rainfall in the world. Rainfall in the Ganga valley decreases from the east to west. Rajasthan and parts of Gujarat get scanty rainfall.

- (i) The Tamil Nadu coast receives winter rainfall.
- (ii) The Tamil Nadu coast receives winter rainfall a characteristic feature of the cold weather season. Over the northern plains in flow of cyclonic disturbances from the west and the north west. These low pressure systems originate over the Mediterranean sea and western Asia and move into India along with the westerly flow. They cause the much needed winter rains over the plains and snowfall in the mountains. Although the

total amount  
Maharashtra  
important  
the peninsular  
defined  
noticeable  
patterns  
influence

(iii) ~~the~~ the d  
frequen

(iii) The del  
shock b  
over the  
the Bay  
shift i  
cycloni  
and lan  
the ear  
occides  
often  
delta  
Karnat  
can

Total amount of winter rainfall locally known as 'Mahawat' is small though of immense importance for the cultivation of rabi crops. The peninsular region does not have a well defined cold season. There is hardly any noticeable seasonal change in temperature patterns during winters due to the moderating influence of the sea.

(ii) ~~The~~ The delta region of the eastern coast is frequently struck by cyclones.

(iii) The delta region of the eastern coast is frequently struck by cyclones. The low pressure conditions over north western India get transferred to the Bay of Bengal by early November as the shift is associated with the occurrence of cyclonic depressions which originate over the Andaman sea. These cyclones generally cross the eastern coasts of India cause heavy and widespread rain. These tropical cyclones are often very destructive. The thickly populated deltas of the Godavari, the Krishna and the Kaveri are frequently struck by cyclones which cause great damage to life and

property. Sometimes these cyclone arrive at the coast of Orissa, West Bengal and Bangladesh.

(iv) Parts of Rajasthan, Gujarat and the leeward side of the western ghats are drought prone.

(v) Parts of Rajasthan, Gujarat and the leeward side of the western ghats are drought prone as owing to the nature of monsoon, the annual rainfall is highly variable from year to year. Variability is high in the regions of low rainfall such as parts of Rajasthan, Gujarat and the leeward side of the western ghats. As such, while areas of high rainfall are liable to be affected by floods, areas of low rainfall are drought prone.

(Q9) Describe the regional variations in the climatic conditions of India with the help of suitable examples.

(Ans) Despite an overall unity in the general pattern there are perceptible regional variations in climatic conditions within the country. The two

(Q10) Discuss  
to use  
the f  
• the di  
and  
-man  
exper  
• the st  
conve  
Ganga  
north  
equ  
The p  
east

important  
are - le  
Ex - in  
touch  
desert  
plate  
On a  
in Jan  
minus  
hand

important elements which cause these variations are temperature and precipitation.

Ex- in summer, the mercury occasionally touches  $50^{\circ}\text{C}$  in some parts of Rajasthan desert whereas it may be around  $20^{\circ}\text{C}$  at Pahalgam in Jammu and Kashmir. On a winter night, the temperature at Doon in Jammu and Kashmir may be as low as minus  $45^{\circ}\text{C}$ . Tiruvananthapuram, on the other hand, may have a temperature of  $20^{\circ}\text{C}$ .

(c) Discuss the mechanism of monsoon.

To understand the mechanism of the monsoons the following facts are important.

- The differential heating and cooling of land and water create a low pressure on the land - mass of India while the seas around experience comparatively high pressure.
- The shift of the position of Inter-tropical Convergence Zone (ITCZ) in summer over the Ganga plain (this is the equatorial trough normally positioned about  $10^{\circ}\text{N}$  of the equator - also known as monsoon season).
- The presence of the high pressure area, east of Madagascar approximately  $20^{\circ}\text{S}$



Over the Indian Ocean, the intensity and position of the high pressure area affect the Indian monsoon.

- The Tibetan plateau gets intensely heated during summer, which results in strong vertical air currents and the formation of high pressure over the plateau at about 4 km above sea level.
- The movement of the westerly jet stream to the north of the Himalayas and the presence of the tropical easterly jet stream over the Indian peninsula during summer.

Q12) Give the characteristic effects of the monsoon rainfall in India.

Ans) The monsoon unlike the trade are not steady winds but are pulsating in nature affected by different atmospheric conditions encountered by them way over the warm tropical seas. The duration of the monsoon is between 100-200 days from early June to mid September. A sudden rise in the normal rainfall increases and suddenly even continues constantly for several days. This is known as the "burst" of monsoon and can be distinguished from pre monsoon showers.

(Q3) The monsoon arrives at the southern tip of the Indian peninsula generally by the 1<sup>st</sup> week of June. Subsequently, it divides into two - Arabian sea branch and the Bay of Bengal approximately at 10<sup>th</sup> of June. This is a fairly rapid advance.

The Bay of Bengal branch also advances rapidly and arrives in Assam in the 1<sup>st</sup> week of the June. The loft mountains cause the monsoon wind to deflect towards the west over the Saurashtra-Buchhan and the central part of the country.

The Arabian sea and the Bay of Bengal branches of the monsoon merge over the northwestern part of the Ganga plains. Delhi generally receives the monsoon showers from the Bay of Bengal branch by the end of June. (Alternative date is 24<sup>th</sup> of June) By the 1<sup>st</sup> week of July, western Uttar Pradesh, Punjab, Haryana and Eastern Rajasthan experience monsoon.

By mid July, the monsoon reaches Himanchal Pradesh and the rest of the country. Withdrawal or the retreat of the monsoon is more gradual process. The withdrawal of the monsoon begins in the northwestern state of India by early September. By mid October it withdraws completely from the northern half of the peninsula. The withdrawal from the southern half

of the peninsula is fairly rapid. By early December the monsoon is withdrawn from the rest of the country. The islands receive the very first monsoon showers progressively from south to north, from the 2<sup>nd</sup> week of April to 7<sup>th</sup> week of May. The withdrawal takes place progressively from north to south from the 7<sup>th</sup> week of December to 2<sup>nd</sup> week of January. By this time the rest of the country is already under influence of winter monsoon.

21) here an account of weather conditions and <sup>characteristics</sup> of each season.  
 Ans) The weather conditions greatly change from one season to another. These changes are particularly noticeable in the interior part of the country. The coastal areas don't experience much variation in temperature though there is variation in rainfall patterns. The cold weather season begins from mid November in northern India and stays till February. December and January are the coldest months in the northern part of India. The temperature decreases from the south to north. The average temperature of Chennai on eastern coast is between 24° - 25° C while in the northern plains it ranges between 10-15° C. Days are warm and nights are cold. Frost is also common in the north and the higher slopes of the Himalayas experience snowfall.

Q1) The total  
 1) 15.9 M  
 2) 3.28 M sq  
 Ans) 3.28 M

Q2) 9 identical  
 Ans) Mahan

Q3) Sikkim  
 Bada  
 Ans) Nepal

Q4) what  
 Ans) 68°

Q5) what  
 Ans) 68°

Q6) what  
 Kilon

Q7) what  
 Ans)