

- 1) Auto number datatype generate sequential number whenever record is added.
- 2) OLE Object datatype is used to embed an object created in another application.
- 3) we can add images by using Attachment fields.
- 4) Calculated datatype is used when a user creates a table field that calculate values.
- 5) Access sets lookup fields to the Number datatype.
- 6) The Mesh topology handles large no of traffic.
- 7) In Ring topology all the nodes in the network are connected in a circular manner.
- 8) In star topology the central servers act as a hub.
- 9) In 2 topology two nodes are directly connected.
- 10) Network architecture is divided into Point to point types.
- 11) Wi-Fi use Radio signals.

- 12) A network maintained without using wires is called wireless networking.
- 13) WAN and LAN are the different types of networking.
- 14) Network Topology refers to the layout in which various components of the network are connected and communicate with each other.
- 15) Network security means protecting data and resources from any unauthorized access.
- 16) WAP is a device that connects wireless communication devices to form a wireless network.
- 17) Criteria property contains the condition in the basis of which the records will be filtered in the query output.
- 18) A Form is a piece of paper on which a user fills the required information in specific fields.
- 19) A Query is a database object that helps you to retrieve and view information from one or more database tables.
- 20) In a query, the criteria property is used to set the condition on the basis of which the records are filtered.

21) You can set multiple criteria in a query using or property.

22) order property is used to filter the data either in an ascending or descending order.

23) Form allows you to add and update data in a table, one record at a time.

24) A Report is an effective way to organize and summarize data in a printed form.

25) There are 5 types of operators in python.

26) The statement that governs the flow of a program are called Control Structure.

27) The datatype of a variable is an attribute that tells what kind of data can a variable have.

28) concatenation is string operator.

29) The sequential construct executes the statements in a sequential manner.

30) Interactive mode of python giving the output instantly.