

Name : Ms. RAJASHRI NAYAK
Lab No. : 473309482
Ref By : DR JATASANKAR MOHAPATRA
Collected : 2/8/2024 11:27:00AM
A/c Status : P
Collected at : BISWAJEETA KUMARI MALLICK - HEALTHLEAF
PATH LAB
Plot No 35, Ground Floor, Dist Cent, C.S.Pur, M
-7077053357, 9337242010
Age : 39 Years
Gender : Female
Reported : 2/8/2024 2:34:13PM
Report Status : Final
Processed at : LPL-BHUBANESHWAR
PURABI,PLOT NO 2084/4837,GAUTAM
NAGAR ,BHUBNAESWAR -751014

Test Report

Test Name	Results	Units	Bio. Ref. Interval
TSH, SERUM (Chemiluminescent Immunoassay)	14.11	µIU/mL	0.35 - 5.50

Interpretation for pregnant Female


REFERENCE GROUP	REFERENCE RANGE in µIU/mL (As per American Thyroid Association)
Pregnancy	
1st Trimester	0.100 - 2.500
2nd Trimester	0.200 - 3.000
3rd Trimester	0.300 - 3.000

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
2. Values <0.03 µIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals.
3. Transient increase in TSH levels or abnormal TSH levels can be seen in various nonthyroidal diseases. Simultaneous measurement of TSH with free T4 is useful in evaluating the differential diagnosis



Dr Bibhudutta Rautaraya
MD, Microbiology
Consultant Microbiologist
Dr Lal PathLabs Ltd



Dr.Utkarshni
MD ,Pathology
Chief of Laboratory
Dr Lal PathLabs Ltd

-----End of report-----



Name	: Ms. RAJASHRI NAYAK	Age	: 39 Years
Lab No.	: 473309482	Gender	: Female
Ref By	: DR JATASANKAR MOHAPATRA	Reported	: 2/8/2024 2:34:13PM
Collected	: 2/8/2024 11:27:00AM	Report Status	: Final
A/c Status	: P	Processed at	: LPL-BHUBANESHWAR
Collected at	: BISWAJEETA KUMARI MALLICK - HEALTHLEAF PATH LAB Plot No 35, Ground Floor,Dist Cent, C.S.Pur , M -7077053357, 9337242010		: PURABI,PLOT NO 2084/4837,GAUTAM NAGAR ,BHUBNAESWAR -751014

Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory .
•Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician . •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted . •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner /Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

